

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5	discover\$3 device SAS network domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/30 14:37
S2	4	William Vorhees	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/18 10:25
S3	28	Timothy Hoglund	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/18 10:24
S4	2545	Stephen Johnson	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/18 10:22
S5	2141	Stephen Johnson	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/01/18 10:22
S6	24	Stephen adj Johnson	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/01/18 10:22
S7	87	William Voorhees	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/18 10:25

## EAST Search History

S8	2	William adj Voorhees	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/18 10:25
S9	7	(discover\$3 or find) device SAS network domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/18 11:07
S10	10	device SAS network domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/01/18 11:16
S11	3	device SAS network domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/01/24 11:43
S12	2	configur\$3 rout\$3 ports SAS network domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/18 11:24
S13	16	configur\$3 rout\$3 ports SAS network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/18 11:26
S14	3	configur\$3 rout\$3 port SAS network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/18 11:26

## EAST Search History

S15	28	SAS network domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/18 12:47
S16	32	SAS adj domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/19 07:51
S17	8	routing table SAS domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/19 08:01
S18	4752	routing table path	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/19 08:01
S19	141	routing table identify paths	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/22 15:07
S20	30	routing table identify near2 paths	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/19 08:02
S21	18	routing adj table identify near2 paths	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/19 15:32

## EAST Search History

S22	1	routing adj table identify near2 paths messages	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/19 08:24
S23	7	discover topology SAS network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/19 15:32
S24	15	discover topology SCSI network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/19 15:33
S25	1	identify paths SAS domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/22 15:02
S26	5	paths SAS domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/01/22 15:03
S27	12	paths SAS adj3 domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/22 15:03
S28	2	routing table paths SAS domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/22 15:08

## EAST Search History

S29	1115	routing adj table paths	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/22 15:08
S30	169	routing adj table paths message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/22 15:24
S31	1	2005/0015532	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/22 16:29
S32	517	SMP request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/22 16:29
S33	11	SMP adj request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/22 16:43
S34	5089	request (indicate or identify or discover) (device or port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/01/22 16:44
S35	1274	request (indicate or identify or discover) adj3 (device or port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/01/22 16:44

## EAST Search History

S36	132	(transmit or send) SMP device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/23 08:22
S37	168	(transmit or send) SMP (device or terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/23 10:11
S38	4	(transmit or send) SMP (device or terminal) expander	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/23 10:11
S39	60	(transmit or send) SMP request (device or terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/23 10:17
S40	26	(transmit or send) SMP request adj10 (device or terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/23 10:35
S41	280	(transmit or send) (SAS or SCSI) request adj10 (device or terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/23 10:39
S42	62	(transmit or send) (SAS or SCSI) request adj10 (device or terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/23 10:42

## EAST Search History

S43	0	(transmit or send) (SAS or SCSI) request adj10 (device or terminal) (identify or indicat\$3) couple\$1 port	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/23 10:43
S44	0	(transmit or send) (SAS or SCSI) request (device or terminal) (identify or indicat\$3) couple\$1 port	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/23 10:44
S45	0	(transmit or send) (SAS or SCSI) request (device or terminal) (identify or indicat\$3) coupled port	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/23 10:44
S46	0	(transmit or send) (SAS or SCSI or SMP) request (device or terminal) (identify or indicat\$3) coupled port	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/23 10:45
S47	15	(transmit or send) (SAS or SCSI or SMP) request (device or terminal) (identify or indicat\$3) port	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/23 13:07
S48	0	(Identify or Indicate) number adj2 ports SAS network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/23 13:08
S49	196	(Identify or Indicate) number adj2 ports network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/23 13:19

## EAST Search History

S50	52	SAS adj network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/23 13:09
S51	11	(Identify or Indicate) adj2 (amount or number) adj2 ports network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/23 13:12
S52	0	S49 S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/01/23 13:18
S53	164	SAS domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/23 13:18
S54	811	(Identify or Indicate) (Amount or number) adj2 ports	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/23 13:20
S55	1	S54 S53	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/01/23 13:19
S56	925	(Identify or Indicate or find) (Amount or number) adj2 ports	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/23 13:49



## EAST Search History

S57	1	S56 S53	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/01/23 13:20
S58	3	2003/0076788	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/23 13:51
S59	2	"20030076788"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/23 16:31
S60	3	"20050066100"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/01/23 16:32
S61	5952	709/238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/24 11:38
S62	3	"7093033"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/01/24 11:43
S63	3	"20050066100"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/01/24 11:44

## EAST Search History

S64	2	"20030076788"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/01/24 11:44
S65	86	"4156798"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/01/24 11:47
S66	7	"5335227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/01/24 11:47
S67	3	"7093033"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/01/25 13:04
S68	1	"10442705"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/01/25 13:04
S69	0	Richard "C." Beckett	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/01/25 13:04
S70	29	Richard Beckett	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/01/25 13:04

## EAST Search History

S71	9152	travers\$3 near2 (device or expander)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/30 14:46
S72	48	travers\$3 near2 (device or expander) port network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/30 14:46